

10/074,256  
DOCKET NO. NE-1086-US/MR

2

**AMENDMENTS TO THE CLAIMS:**

Claim 1. (Currently amended) An active-matrix addressed reflective liquid crystal display, which comprises:

- a first substrate that is transparent;
  - a second substrate;
  - a lower insulation film formed on said second substrate;
  - a plurality of switching elements, respectively provided for each pixel;
  - an insulation layer having a surface irregularly configured;
  - a reflection film formed on said insulation layer and having an irregularly configured surface depending on the irregular surface of said insulation layer;
  - a liquid crystal layer provided between said first substrate and said reflection film;
  - an upper electrode between said insulation layer and said lower insulation film, said upper electrode being provided for each pixel and located in a region wherein said reflection film is provided, said upper electrode being electrically coupled to a source electrode of the switching element; and
  - a lower electrode provided between said second substrate and said lower insulation film, said lower electrode forming a storage capacitance with said upper electrode,
- wherein the irregularly configured surface of said insulation layer comprises:
- a plurality of substantially linear projections; and
  - a plurality of recesses surrounded by the substantially linear projections.

10/074.256

DOCKET NO. NE-1086-US/MR

3

Claim 2. (Currently amended) The active-matrix addressed reflective liquid crystal display as claimed in claim 1, wherein ~~said the irregularly configured surface of said insulation layer~~ comprises:

a plurality of substantially linear projections extend substantially parallel to the surface of said second substrate; and

~~a plurality of recesses surrounded by the linear projections.~~

Claim 3. (Previously presented) The active-matrix addressed reflective liquid crystal display as claimed in claim 1, wherein the switching element of a given pixel comprises a thin film transistor whose gate electrode is coupled to a gate line, and said lower insulation film functions as a gate insulation layer, and wherein said lower electrode is coupled to a gate line assigned to a pixel adjacent to said given pixel.

Claim 4. (Previously presented) The active-matrix addressed reflective liquid crystal display as claimed in claim 1, wherein said lower insulation film has no step on the surface thereof in a region wherein said reflection film is provided.

Claim 5. (Previously presented) The active-matrix addressed reflective liquid crystal display as claimed in claim 1, wherein said insulation layer comprises:

a first layer patterned by lithography so as to have the irregular configuration on the surface thereof; and

10/074,256

DOCKET NO. NE-1086-US/MR

4

a second layer formed on said first layer such as to imitate the irregular surface of said first layer.

Claim 6. (Previously presented) The active-matrix addressed reflective liquid crystal display as claimed in claim 1, wherein said reflection film is electrically coupled to said upper electrode or a source electrode of one of the plurality of switching elements via a contact hole provided in said insulation layer.

Claim 7. (Previously presented) The active-matrix addressed reflective liquid crystal display as claimed in 1, wherein said source electrode is electrically coupled to said reflection film.

Claims 8-12. (Canceled).

Claim 13. (Currently amended) An active matrix addressed reflective liquid crystal display comprising:

- a first substrate;
- a lower electrode over the first substrate;
- a lower insulation film over the lower electrode;
- an upper electrode over the lower insulation film to form a storage capacitor with the lower electrode;

10/074,256

5

DOCKET NO. NE-1086-US/MR

an insulation layer over the upper electrode and having an irregular surface;  
a reflective electrode over the insulation layer and having an irregular surface that corresponds to the irregular surface of the insulation layer;  
a switching element on the first substrate having a source electrode electrically coupled to the upper electrode;  
a second substrate above the reflective electrode; and  
liquid crystal material between the reflective electrode and the second substrate, wherein the irregular surface of the insulation layer comprises a plurality of substantially linear projections.

Claim 14: (Previously presented) The display of claim 13, wherein said insulation layer comprises a first insulation layer formed over the upper electrode and a second insulation layer formed over the first insulation layer.

Claim 15: (Previously presented) The display of claim 14, wherein the first insulation layer has an irregular surface and the second insulation layer has an irregular surface that corresponds to the irregular surface of the first insulation layer.

Claim 16: (Currently amended) The display of claim 13, further comprising:  
a passivation film between the upper electrode and the insulation layer.

10/074,256

6

DOCKET NO. NE-1086-US/MR

Claim 17. (Currently amended) The display of claim 13, wherein the ~~irregular surface of the insulation layer comprises a~~ plurality of substantially linear projections extend substantially parallel to the surface of said first substrate.

Claim 18. (Currently amended) The display of claim 13, further comprising:  
a plurality of switching elements, wherein said switching element comprises one of said plurality of switching elements.

Claim 19. (Currently amended) The display of claim 18, further comprising:  
a gate line and wherein one of the plurality of switching elements comprises a thin film transistor having a gate electrode coupled to the gate line.

Claim 20. (Currently amended) The display of claim 19, further comprising:  
another gate line and wherein the lower electrode is coupled to the another gate line for an adjacent pixel.

Claim 21. (Previously presented) The display of claim 13, wherein the surface of the upper electrode is reflective.

Claim 22. (Previously presented) The display of claim 13, wherein the surface of the upper electrode is substantially flat.

10/074,256

7

DOCKET NO. NE-1086-US/MR

Claim 23. (Previously presented) The display of claim 13, wherein said reflective electrode is connected to one of the upper electrode and a source electrode of a switching element through a contact hole in the insulation layer.

Claim 24. (Previously presented) The display of claim 13, wherein the reflection film is electrically coupled to a source electrode of a switching element.